

Algorithmic Model Theory

SS 2010

Prof. Dr. Erich Grädel

Mathematische Grundlagen der Informatik
RWTH Aachen

Contents

1	The classical decision problem for FO	1
1.1	Basic notions on decidability	2
1.2	Trakhtenbrot's Theorem	8
1.3	Domino problems	15
1.4	Applications of the domino method	19
2	Finite Model Property	27
2.1	Ehrenfeucht-Fraïssé Games	27
2.2	FMP of Modal Logic	30
2.3	Finite Model Property of FO^2	37
3	Descriptive Complexity	47
3.1	Logics Capturing Complexity Classes	47
3.2	Fagin's Theorem	49
3.3	Second Order Horn Logic on Ordered Structures	53
4	LFP and Infinitary Logics	59
4.1	Ordinals	59
4.2	Some Fixed-Point Theory	61
4.3	Least Fixed-Point Logic	64
4.4	Infinitary First-Order Logic	67
5	Modal, Inflationary and Partial Fixed Points	73
5.1	The Modal μ -Calculus	73
5.2	Inflationary Fixed-Point Logic	76
5.3	Simultaneous Inductions	81
5.4	Partial Fixed-Point Logic	82
5.5	Capturing PTIME up to Bisimulation	86



This work is licensed under:

<http://creativecommons.org/licenses/by-nc-nd/3.0/de/>

Dieses Werk ist lizenziert unter:

<http://creativecommons.org/licenses/by-nc-nd/3.0/de/>

© 2011 Mathematische Grundlagen der Informatik, RWTH Aachen.

<http://www.logic.rwth-aachen.de>

3 Descriptive Complexity

In this chapter we study the relationship between logical definability and computational complexity on finite structures. In contrast to the theory of computational complexity we do not measure resources as time and space required to decide a property but the logical resources needed to define it. The ultimate goal is to characterize the complexity classes known from computational complexity theory by means of logic.

We first define what it means for a logic to capture a complexity class. One of the main results is due to Fagin, stating that existential second order logic captures NP, while it is still unknown whether there exists a logic capturing PTIME on all finite structures. A deeper analysis of the proof of Fagin's Theorem shows that SO-HORN logic captures PTIME on all ordered finite structures.

We further introduce least-fixed point logic, LFP, and prove the result of Immerman and Vardi which states that least fixed-point logic also captures PTIME on all ordered finite structures. We compare LFP to inflationary fixed-point logic (IFP), which turns out to be equivalent to LFP. Finally, we present partial fixed-point logic PFP and logics with counting.

3.1 Logics Capturing Complexity Classes

Assume we have a class of finite τ -structures. To measure the complexity of problems we have to represent the structures by strings over a finite alphabet Σ so that they can be used as inputs for Turing machines. Since Turing machines accept *words* and logics do not distinguish between isomorphic structures, for encoding a structure it is necessary to fix an ordering on the universe before.

By $\text{Ord}(\tau)$ we denote the class of all finite structures $(\mathfrak{A}, <)$, where

\mathfrak{A} is a τ -structure and $<$ is a linear order on its universe. For any structure $\mathfrak{A} \in \text{Ord}(\tau)$ with universe of size n , and for a fixed k , we can identify A^k with the set $\{0, 1, \dots, n^k - 1\}$. This is done by associating each k -tuple \bar{a} with its rank in the lexicographic ordering induced by $<$ on A^k . When we talk about the \bar{a} -th element, we understand it in this sense.

Definition 3.1. An *encoding* is a function mapping ordered structures to words. An encoding $\text{code}(\cdot) : \text{Ord}(\tau) \rightarrow \Sigma^*$ is good if it identifies isomorphic structures, is polynomially bounded, first-order definable and allows to compute the values of atomic statements efficiently. Formally, the following abstract conditions must be satisfied.

- $\text{code}(\mathfrak{A}, <) = \text{code}(\mathfrak{B}, <)$ iff $(\mathfrak{A}, <) \cong (\mathfrak{B}, <)$.
- There is a fixed polynomial p such that $|\text{code}(\mathfrak{A}, <)| \leq p(|A|)$ for all $(\mathfrak{A}, <) \in \text{Ord}(\tau)$.
- For all $k \in \mathbb{N}$ and all $\sigma \in \Sigma$ there exists a first-order formula $\beta_\sigma(x_1, \dots, x_k)$ of vocabulary $\tau \cup \{<\}$ so that for all $(\mathfrak{A}, <)$ and all $\bar{a} \in A^k$ it holds that

$$(\mathfrak{A}, <) \models \beta_\sigma(\bar{a}) \Leftrightarrow \text{the } \bar{a}\text{-th symbol of } \text{code}(\mathfrak{A}, <) \text{ is } \sigma.$$

- Given $\text{code}(\mathfrak{A}, <)$ a relation symbol R of τ and a tuple \bar{a} one can efficiently decide whether $\mathfrak{A} \models R\bar{a}$.

The meaning of “efficiently” in the last condition may depend on the context, here we understand it is as evaluated in linear time and logarithmic space.

Example 3.2. Let $\mathfrak{A} = (A, R_1, \dots, R_m)$ be a structure with a linear order $<$ on A . Let $|A| = n$ and let s_i be the arity of R_i . Let l be the maximal arity of R_1, \dots, R_m . For each relation we define

$$\chi(R_j) = w_0 \dots w_{n^{s_j}-1} 0^{n^{s_j}-n^{s_j}} \in \{0, 1\}^{n^l},$$

where $w_i = 1$ if the i -th element of A^{s_j} is in R_j . Now

$$\text{code}(\mathfrak{A}, <) := 1^n 0^{n^l-n} \chi(R_1) \dots \chi(R_m).$$

When we say that an algorithm decides a class \mathcal{K} of finite τ -structures we actually mean that it decides

$$\text{code}(\mathcal{K}) = \{\text{code}(\mathfrak{A}, <) : \mathfrak{A} \in \mathcal{K}, < \text{ a linear order on } A\}.$$

Definition 3.3. A *model class* is a class \mathcal{K} of structures of a fixed vocabulary τ that is closed under isomorphism, i.e. if $\mathfrak{A} \in \mathcal{K}$ and $\mathfrak{A} \cong \mathfrak{B}$, then $\mathfrak{B} \in \mathcal{K}$.

A *domain* is an isomorphism closed class \mathcal{D} of structures where the vocabulary is not fixed. For a domain \mathcal{D} and vocabulary τ , we write $\mathcal{D}(\tau)$ for the class of τ -structures in \mathcal{D} .

Definition 3.4. Let L be a logic, Comp a complexity class and \mathcal{D} a domain of finite structures. L captures Comp on \mathcal{D} if

- (1) For every vocabulary τ and every (fixed) sentence $\psi \in L(\tau)$, the model-checking problem for ψ on $\mathcal{D}(\tau)$ is in Comp .
- (2) For every vocabulary τ and any model class $\mathcal{K} \subseteq \mathcal{D}(\tau)$ whose membership problem is in Comp , there exists a sentence $\psi \in L(\tau)$ such that

$$\mathcal{K} = \{\mathfrak{A} \in \mathcal{D}(\tau) : \mathfrak{A} \models \psi\}.$$

3.2 Fagin's Theorem

Existential second-order logic (Σ_1^1) is the fragment of second-order logic consisting of formulae of the form $\exists R_1 \dots \exists R_m \varphi$ where $\varphi \in \text{FO}$ and R_1, \dots, R_m are relation symbols. As we will see in this chapter, the logic Σ_1^1 captures the complexity class NP on the domain of all finite structures.

Example 3.5. 3-Colorability of a graph $G = (V, E)$ is in NP and indeed there is a Σ_1^1 -formula defining the class of graphs which possess a valid 3-coloring:

$$\begin{aligned} \exists R \exists B \exists Y \quad & (\quad \forall x (R x \vee B x \vee Y x) \\ & \wedge \quad \forall x \forall y (E x y \rightarrow \neg((R x \wedge R y) \vee (B x \wedge B y) \vee (Y x \wedge Y y)) \end{aligned}$$

Theorem 3.6 (Fagin). Existential second-order logic captures NP on the domain of all finite structures.

Proof.

The proof consists of two parts. First of all, let $\psi = \exists R_1 \dots \exists R_m \varphi \in \Sigma_1^1$ be an existential second-order sentence. We show that it can be decided in non-deterministic polynomial time whether a given structure \mathfrak{A} is a model of ψ .

In a first step, we guess relations R_1, \dots, R_m on A . Recall that relations can be identified with binary strings of length n^{s_i} , where s_i is the arity of R_i . Then we check whether $(\mathfrak{A}, R_1, \dots, R_m) \models \varphi$ which can be done in LOGSPACE and hence in PTIME. Thus the computation consists of guessing a polynomial number of bits followed by a deterministic polynomial time computation, showing that the problem is in NP.

For the other direction, let \mathcal{K} be an isomorphism-closed class of τ -structures and let M be a non-deterministic TM deciding $\text{code}(\mathcal{K})$ in polynomial time. We construct a sentence $\psi \in \Sigma_1^1$ such that for all finite τ -structure \mathfrak{A} it holds that

$$\mathfrak{A} \models \psi \Leftrightarrow M \text{ accepts } \text{code}(\mathfrak{A}, <) \text{ for any linear order } < \text{ on } A.$$

Let $M = (Q, \Sigma, q_0, F^+, F^-, \delta)$ with accepting and rejecting states F^+ and F^- and $\delta : (Q \times \Sigma) \rightarrow \mathcal{P}(Q \times \Sigma \times \{0, 1, -1\})$ which, given an input $\text{code}(\mathfrak{A}, <)$, decides in non-deterministic polynomial time whether \mathfrak{A} belongs to \mathcal{K} or not. We assume that all computations of M reach an accepting or rejecting state after precisely n^k steps ($n := |A|$).

We encode a computation of M on $\text{code}(\mathfrak{A}, <)$ by relations \bar{X} and construct a first-order sentence $\varphi_M \in \text{FO}(\tau \cup \{<\} \cup \{\bar{X}\})$ such that for every linear order $<$ there exists \bar{X} with $(\mathfrak{A}, <, \bar{X}) \models \varphi_M$ if and only if $\text{code}(\mathfrak{A}, <) \in L(M)$. To this end we show that

- If \bar{X} represents an accepting computation of M on $\text{code}(\mathfrak{A}, <)$ then $(\mathfrak{A}, <, \bar{X}) \models \varphi_M$.
- If $(\mathfrak{A}, <, \bar{X}) \models \varphi_M$ then \bar{X} contains a representation of an accepting computation of M on $\text{code}(\mathfrak{A}, <)$.

Accordingly the desired formula ψ is then obtained via existential second-order quantification

$$\psi := (\exists <)(\exists \bar{X})(\text{"} < \text{ is a linear order " } \wedge \varphi_M).$$

Details:

- We represent numbers up to n^k as tuples in A^k .
- For each state $q \in Q$ we introduce a predicate

$$X_q := \{\bar{t} \in A^k : \text{at time } \bar{t} \text{ the TM } M \text{ is in state } q\}.$$

- For each symbol $\sigma \in \Sigma$ we define

$$Y_\sigma := \{(\bar{t}, \bar{a}) \in A^k \times A^k : \text{at time } \bar{t} \text{ the cell } \bar{a} \text{ contains } \sigma\}.$$

- The head predicate is

$$Z := \{(\bar{t}, \bar{a}) \in A^k \times A^k : \text{at time } \bar{t} \text{ the head of } M \\ \text{is at position } \bar{a}\}.$$

Now φ_M is the universal closure of $\text{START} \wedge \text{COMPUTE} \wedge \text{END}$.

$$\text{START} := X_{q_0}(\bar{0}) \wedge Z(\bar{0}, \bar{0}) \wedge \bigwedge_{\sigma \in \Sigma} (\beta_\sigma(\bar{x}) \rightarrow Y_\sigma(\bar{0}, \bar{x})).$$

Recall that β_σ states that the symbol at position \bar{x} in $\text{code}(\mathfrak{A}, <)$ is σ . The existence of the formulae β_σ is guaranteed by the fact that $\text{code}(\cdot)$ is a good encoding. In what follows, we denote by $\bar{x} + 1$ and $\bar{x} - 1$ a first-order formula that defines the direct successor and predecessor of the tuple \bar{x} (in the lexicographical ordering on tuples that is induced by the linear order $<$), respectively.

$$\text{COMPUTE} := \text{NOCHANGE} \wedge \text{CHANGE}.$$

$$\begin{aligned} \text{NOCHANGE} &:= \bigwedge_{\sigma \in \Sigma} (Y_{\sigma}(\bar{t}, \bar{x}) \wedge Z(\bar{t}, \bar{y}) \wedge \bar{y} \neq \bar{x} \\ &\quad \wedge \bar{t}' = \bar{t} + 1 \rightarrow Y_{\sigma}(\bar{t}', \bar{x})). \\ \text{CHANGE} &:= \bigwedge_{q \in Q, \sigma \in \Sigma} (\text{PRE}[q, \sigma] \rightarrow \bigvee_{(q', \sigma', m) \in \delta(q, \sigma)} \text{POST}[q', \sigma', m]), \end{aligned}$$

where

$$\text{PRE}[q, \sigma] := X_q(\bar{t}) \wedge Z(\bar{t}, \bar{x}) \wedge Y_{\sigma}(\bar{t}, \bar{x}) \wedge \bar{t}' = \bar{t} + 1,$$

$$\text{POST}[q', \sigma', m] := X_{q'}(\bar{t}') \wedge Y_{\sigma'}(\bar{t}', \bar{x}) \wedge \text{MOVE}_m[\bar{t}', \bar{x}],$$

and

$$\text{MOVE}_m[\bar{t}', \bar{x}] := \begin{cases} \exists \bar{y}(\bar{x} - 1 = \bar{y} \wedge Z(\bar{t}', \bar{y})), & m = -1 \\ Z(\bar{t}', \bar{x}), & m = 0 \\ \exists \bar{y}(\bar{x} + 1 = \bar{y} \wedge Z(\bar{t}', \bar{y})), & m = 1. \end{cases}$$

Finally, we let

$$\text{END} := \bigwedge_{q \in F^-} \neg X_q(\bar{t}).$$

It remains to show the following two claims.

Claim 1. If \bar{X} represents an accepting computation of M on $\text{code}(\mathfrak{A}, <)$ then $(\mathfrak{A}, <, \bar{X}) \models \varphi_M$. This, however, follows immediately from the construction of φ_M .

Claim 2. If $(\mathfrak{A}, <, \bar{X}) \models \varphi_M$, then \bar{X} contains a representation of an accepting computation of M on $\text{code}(\mathfrak{A}, <)$. We define

$$\text{CONF}[C, j] := X_q(\bar{j}) \wedge Z(\bar{j}, \bar{p}) \wedge \bigwedge_{i=0}^{n^k-1} Y_{w_i}(\bar{j}, \bar{i})$$

for configurations $C = (w_0 \dots w_{n^k-1}, q, p)$ (tape content $w_0 \dots w_{n^k-1}$, state q , head position p), i.e. the conjunction of the atomic statements that hold for C at time j . Let C_0 be the input configuration of M on $\text{code}(\mathfrak{A}, <)$. Since $(\mathfrak{A}, <, \bar{X}) \models \text{START}$ it follows that

$$(\mathfrak{A}, <, \bar{X}) \models \text{CONF}[C_0, 0].$$

Since $(\mathfrak{A}, <, \bar{X}) \models \text{COMPUTE}$ and $(\mathfrak{A}, <, \bar{X}) \models \text{CONF}[C_i, t]$, for some $C_i \vdash C_{i+1}$ it holds that $(\mathfrak{A}, <, \bar{X}) \models \text{CONF}[C_{i+1}, t+1]$.

Finally, no rejecting configuration can be encoded in \bar{X} because $(\mathfrak{A}, <, \bar{X}) \models \text{END}$. Thus an accepting computation

$$C_0 \vdash C_1 \vdash \dots \vdash C_{n^k-1}$$

of M on $\text{code}(\mathfrak{A}, <)$ exists, with $(\mathfrak{A}, <, \bar{X}) \models \text{CONF}[C_i, i]$ for all $i \leq n^k - 1$. This completes the proof of Fagin's Theorem. Q.E.D.

Theorem 3.7 (Cook, Levin). SAT is NP-complete.

Proof. Obviously $\text{SAT} \in \text{NP}$. We show that for any Σ_1^1 -definable class \mathcal{K} of finite structures the membership problem $\mathfrak{A} \in \mathcal{K}$ can be reduced to SAT. By Fagin's Theorem, there exists a first-order sentence ψ such that

$$\mathcal{K} = \{\mathfrak{A} \in \text{Fin}(\tau) : \mathfrak{A} \models \exists R_1 \dots \exists R_m \psi\}.$$

Given \mathfrak{A} , construct a propositional formula $\psi_{\mathfrak{A}}$ as follows.

- replace $\exists x_i \varphi$ by $\bigvee_{a \in A} \varphi[x_i/a]$,
- replace $\forall x_i \varphi$ by $\bigwedge_{a \in A} \varphi[x_i/a]$,
- replace all closed τ -atoms $P\bar{a}$ in ψ with their truth values,
- replace all atoms $R\bar{a}$ with propositional variables $P_{R\bar{a}}$.

This is a polynomial transformation and it holds that

$$\mathfrak{A} \in \mathcal{K} \Leftrightarrow \mathfrak{A} \models \exists R_1 \dots \exists R_m \psi \Leftrightarrow \psi_{\mathfrak{A}} \in \text{SAT}.$$

Q.E.D.

3.3 Second Order Horn Logic on Ordered Structures

The problem of whether there exists a logic capturing PTIME on all finite structures is still open. The theorem of Immerman and Vardi states that least fixed-point logic captures PTIME on the class of all ordered finite structures. We first present the result of Grädel that

on ordered finite structures SO-HORN captures PTIME. This result follows from a careful analysis of the proof of Fagin's Theorem (indeed, the construction we used in its proof is not the standard one, but an optimized version so that it can be adapted for showing that SO-HORN captures PTIME on ordered structures).

Definition 3.8. *Second-order Horn logic*, denoted by SO-HORN, is the set of second-order sentences of the form

$$Q_1 R_1 \dots Q_m R_m \forall y_1 \dots \forall y_s \bigwedge_{i=1}^t C_i,$$

where $Q_i \in \{\exists, \forall\}$ and the C_i are Horn clauses, i.e. implications

$$\beta_1 \wedge \dots \wedge \beta_m \rightarrow H,$$

where each β_j is either a positive atom $R_k \bar{z}$ or an FO-formula that does not contain R_1, \dots, R_m . H is either a positive atom $R_j \bar{z}$ or the Boolean constant 0.

Σ_1^1 -HORN denotes the existential fragment of SO-HORN, i.e. the set of SO-HORN sentences where all second-order quantifiers are existential.

Theorem 3.9. Every sentence $\psi \in$ SO-HORN is equivalent to a sentence $\psi' \in \Sigma_1^1$ -HORN.

Proof. It suffices to prove the theorem for formulae of the form

$$\psi = \forall P \exists R_1 \dots \exists R_m \forall \bar{z} \varphi,$$

where φ is a conjunction of Horn clauses and $m \geq 0$ (for $m = 0$, the formula has the form $\forall P \forall \bar{z} \varphi$). Indeed we can then eliminate universal quantifiers beginning with the inner most one by considering only the part starting with that universal quantifier.

Lemma 3.10. A formula $\exists \bar{R} \forall \bar{z} \varphi(P, \bar{R}) \in \Sigma_1^1$ -HORN holds for all relations P on a structure \mathfrak{A} if and only if it holds for those P that are false at at most one point.

Proof. Let k be the arity of P . For every k -tuple \bar{a} , let $P^{\bar{a}} = A^k - \{\bar{a}\}$, i.e. the relation that is false at \bar{a} and true at all other points. By assumption, there exist $\bar{R}^{\bar{a}}$ such that

$$(\mathfrak{A}, P^{\bar{a}}, \bar{R}^{\bar{a}}) \models \forall \bar{z} \varphi.$$

Now consider any $P \neq A^k$ and let $R_i := \bigcap_{\bar{a} \notin P} R_i^{\bar{a}}$. We show that $(\mathfrak{A}, P, \bar{R}) \models \forall \bar{z} \varphi$ where \bar{R} is the tuple consisting of all R_i .

Suppose that this is false, then there exists a relation $P \neq A^k$, a clause C of φ and an assignment $\rho : \{z_1, \dots, z_s\} \rightarrow A$ such that $(\mathfrak{A}, P, \bar{R}) \models \neg C[\rho]$. We proceed to show that in this case there exists a tuple \bar{a} such that $(\mathfrak{A}, P^{\bar{a}}, \bar{R}^{\bar{a}}) \models \neg C[\rho]$ and thus

$$(\mathfrak{A}, P^{\bar{a}}, \bar{R}^{\bar{a}}) \models \neg \forall \bar{z} \varphi$$

which contradicts the assumption.

- If the head of $C[\rho]$ is $P\bar{a}$, then take $\bar{a} = \bar{u} \notin P$.
- If the head of $C[\rho]$ is $R_i \bar{u}$, then choose $\bar{a} \notin P$ such that $\bar{u} \notin R_i^{\bar{a}}$, which exists because $\bar{u} \notin R_i$.
- If the head is 0, take an arbitrary $\bar{a} \notin P$.

The head of $C[\rho]$ is clearly false in $(\mathfrak{A}, P^{\bar{a}}, \bar{R}^{\bar{a}})$. $P\bar{a}$ does not occur in the body of $C[\rho]$, because $\bar{a} \notin P$ and all atoms in the body of $C[\rho]$ are true in $(\mathfrak{A}, P, \bar{R})$. All other atoms of the form P_i that might occur in the body of the clause remain true for $P^{\bar{a}}$. Moreover, every atom $R_i \bar{v}$ in the body remains true if R_i is replaced by $R_i^{\bar{a}}$ because $R_i \subseteq R_i^{\bar{a}}$. This implies $(\mathfrak{A}, P^{\bar{a}}, \bar{R}^{\bar{a}}) \models \neg C[\rho]$. Q.E.D.

Using the above lemma, the original formula $\psi = \forall P \exists R_1 \dots \exists R_m \forall \bar{z} \varphi$ is equivalent to

$$\exists \bar{R} \forall \bar{z} \varphi[P\bar{u}/\bar{u} = \bar{u}] \wedge \forall \bar{y} \exists \bar{R} \forall \bar{z} \varphi[P\bar{u}/\bar{u} \neq \bar{y}].$$

This formula can be converted again to Σ_1^1 -HORN; in the second part we push the external first-order quantifiers inside while increasing the

arity of quantified relations by $|\bar{y}|$ to compensate it, i.e. we get

$$\exists \bar{R}' \forall \bar{y} \exists \bar{z} \varphi[P\bar{u}/\bar{u} \neq \bar{y}, R(\bar{x})/R'(\bar{x}, \bar{y})].$$

Q.E.D.

Theorem 3.11. If $\psi \in \text{SO-HORN}$, then the set of finite models of ψ , $\text{Mod}_0(\psi)$, is in PTIME.

Proof. Given $\psi' \in \text{SO-HORN}$, transform it to $\Sigma_1^1\text{-HORN}$, $\psi = \exists R_1 \dots \exists R_m \forall \bar{z} \bigwedge_i C_i$. Given a finite structure \mathfrak{A} reduce the problem of whether $\mathfrak{A} \models \psi$ to HORNSAT (as in the proof of the theorem of Cook and Levin).

- Omit quantifiers $\exists R_i$.
- Replace the universal quantifiers $\forall z_i \eta(z_i)$ by $\bigwedge_{a \in A} \eta[z_i/a]$.
- If there is a clause that is already made false by this interpretation, i.e. $C = 1 \wedge \dots \wedge 1 \rightarrow 0$, reject ψ . Else interpret atoms $R_i \bar{u}$ as propositional variables.

The resulting formula is a propositional Horn formula with length polynomially bounded in $|A|$ and which is satisfiable iff $\mathfrak{A} \models \psi$. The satisfiability problem HORNSAT can be solved in linear time. Q.E.D.

Theorem 3.12 (Grädel). On ordered finite structures SO-HORN and $\Sigma_1^1\text{-HORN}$ capture PTIME.

Proof. We analyze the formula φ_M constructed in the proof of Fagin's Theorem in the case of a deterministic TM M . Recall that φ_M is the universal closure of $\text{START} \wedge \text{NOCHANGE} \wedge \text{CHANGE} \wedge \text{END}$. START , NOCHANGE and END are already in Horn form. CHANGE has the form

$$\bigwedge_{q \in Q, \sigma \in \Sigma} (\text{PRE}[q, \sigma] \rightarrow \bigvee_{(q', \sigma', m) \in \delta(q, \sigma)} \text{POST}[q', \sigma', m]).$$

For a deterministic M for each (q, σ) there is a unique $\delta(q, \sigma) = (q', \sigma', m)$. In this case $\text{PRE}[q, \sigma] \rightarrow \text{POST}[q', \sigma', m]$ can be replaced by the conjunction of the Horn clauses

- $\text{PRE}[q, \sigma] \rightarrow X_{q'}(\bar{t}')$
- $\text{PRE}[q, \sigma] \rightarrow Y_{\sigma'}(\bar{t}', \bar{x})$
- $\text{PRE}[q, \sigma] \wedge \bar{y} = \bar{x} + m \rightarrow Z(\bar{t}', \bar{y})$.

Q.E.D.

Remark 3.13. The assumption that a linear order is explicitly available cannot be eliminated, since linear orderings are not definable by Horn formulae.